

PROCEEDINGS: Winnebago Co.

WINNEBAGO COUNTY BOARD OF SUPERVISORS June 1, 2021

The Winnebago County Board of Supervisors met in session at 9:00 A.M. June 1, 2021 adjourned from May 25, 2021.

Present: Supervisors Smith, Durby and Jenvold Absent:

The meeting is held today via You Tube and a conference call. This is due to COVID-19 and heightened public health risks.

On a motion by Jenvold and seconded by Smith the Supervisors moved to approve the minutes for the May 25, 2021 Board Meeting and approve the agenda for June 1, 2021. All voted aye. Motion carried.

Heidi Fedders, Relay for Life discussed using Courthouse grounds for Relay for Life. On a motion by Durby and seconded by Smith the Supervisors moved to approve the use of the Courthouse grounds for Relay for Life on June 26, 2021. All voted aye. Motion carried.

On a motion by Smith and seconded by Jenvold the Supervisors moved to allow each employee to pick their own bank for the HSA,

however strongly encouraged employees to use the banks or credit unions within Winnebago County. All voted aye. Motion carried.

Scott Meinders, Engineer discussed Secondary Road matters including a tile crossing policy and mowing shoulders.

Karla Weiss, Auditor discussed drainage districts including DD 18 Lat 11. Doug Harmon, landowner no longer wants to make his private tile part of the district.

On a motion by Durby and seconded by Jenvold the Supervisors moved to set the Final Public Hearing for DD 11 Main Tile Improvement Project for June 29, 2021 at 9:30 A.M. All voted aye. Motion carried.

The following Manure Management plan was received by the Auditor's office: #59536 High Brook Farms LLC 1, in Winnebago County, Iowa.

The following claims were approved and ordered to be paid: Fidelity Security Life

-Services..... 1,094.98 Nordskog Farm LLC -Repairs..... 1,479.00 Reliance Standard Life Ins Co

-Services..... 2,067.54 Visa-Supplies..... 167.94 The session was adjourned until 9:00 A.M. June 8, 2021.

Terry Durby, Chairperson Attest: Karla Weiss, Auditor Published in Buffalo Center Tribune on Wednesday, June 16, 2021

PROCEEDINGS: Lakota

City of Lakota Unapproved Minutes Regular Council Meeting Lakota Community Center June 7, 2021 7:00 p.m.

Mayor Heidecker called the meeting to order at 7:00 p.m. Council members present were Hagedorn, Janssen, Meyer, Price and Steven. City Staff present were Pam Robb and Sue Kearney.

Steven moved; Price seconded to approve the agenda. All approved, motion carried.

Hagedorn moved; Meyer seconded to approve the 05/03/2021 Regular Meeting minutes. All approved, motion carried.

Janssen moved; Price seconded to approve payroll, payment of bills, bank statements and tax id reports presented. All approved, motion carried.

Public Forum- No Lakota residents were present.

City Clerk provided City financial reports and reported that the state examination began 5/24/21. The Ambulance dept. received their power cot on 6/7/21 with installation to take place 6/8/21.

Old Business: 102 Smith St.-House is partially down and will be burned on Saturday June 12th. No action taken on Well #2 bids. City insurance will cover most of broken sewer line expenses at City Hall/Library, subject to \$2500 deductible.

New Business: Janssen moved; Price seconded to cover the costs of curb repair at 305 Clark St. All approved, motion carried.

After receiving several complaints, council discussed the numerous running/non-running vehicles parked at 4213 185th Ave. Neighbor to the north is concerned that this will affect his ability to sell his property.

Price moved; Hagedorn seconded to approve Rick Meyer's bid for bailing lagoon hay. All approved, motion carried.

American Rescue Plan-City will receive approximately \$20,000 this month and approximately \$20,000 a year from now.

No action taken on painting city fire hydrants. Deb Stevens is interested in attending K/PACEDC County Wide Breakfast July 28th in Whittemore.

Next month's council meeting will be on Monday July 5th. Hagedorn moved; Janssen seconded to adjourn the meeting at 7:30 pm. All approved, motion carried.

Pamela Robb, City Clerk ATTEST: Nathan Heidecker, Mayor City of Lakota

May 2021 Claims

AgSource-Testing..... 87.25 Alliant Energy -City Gas/Elec..... 2125.94 Anderson Sanitation-May

Sanitation Services..... 2465.62 Bomgaars Supply-Supplies... 405.23 Brown Supply Co.

-Curb Stop/Box..... 941.08 City Of Lakota-Utility Bill..... 62.60 Clear Lake Sanitary Dist

-E-Coli Test..... 37.20 Colonial-Insurance..... 115.66 Ed's Service-Tube..... 30.48 EFTPS-May Fed/FICA

Taxes..... 1340.73 Geode-Site Monitoring..... 3682.35 Hansen, Michael

-Phone/Mileage..... 97.28 Iowa Dept Of Natural Reso -Certifications..... 240.00

IPERS-May IPERS..... 971.89 K.C. Nielsen, Ltd. -Mower Blade..... 52.56

Laubenthal Excavating -Shut-off Valve..... 687.50 Lentz James-Phone..... 20.00

Mid-America Publishing Co -Publish Legals..... 60.58 Midwest Building Material

-Supplies..... 197.92 Midwest Concrete Cutting -Saw Floor..... 600.00

Murra Hardware-Supplies..... 66.66 NuWay Coop-Gasoline..... 592.80 Robb, Pamela-Phone..... 20.00

Smith Concrete Const -City Hall..... 1050.00 Treasurer-State Of Iowa

-May State Taxes..... 182.00 US Postal Service-Stamp /Postage..... 83.35

USDA-May Sewer Loan Pmt..... 4455.00 Vaske-Mower Supplies..... 37.90

WCTA-City Internet/Tele..... 249.03 Claims Total..... 20958.61

General Fund..... 11139.92 Fire Dept Fund..... 384.07

Ambulance Fund..... 42.85 Road Use Fund..... 875.92

Water Fund..... 2754.03 Sewer Fund..... 5761.82

CITY OF LAKOTA RECEIPTS MAY 2021

General Fund..... \$7,345.40 Road Use Tax..... \$2,333.07

Local Option Sales Tax... \$2,793.91 Property Tax..... \$4,169.79

Water..... \$11,140.22 Sewer..... \$7,255.21

Reimbursements..... \$32.10 Interest..... \$3.26

TOTAL..... \$35,072.96 Published in Buffalo Center Tribune on Wednesday, June 16, 2021

PROBATE

NOTICE OF PROBATE OF WILL, OF APPOINTMENT OF EXECUTOR AND NOTICE TO CREDITORS IN THE IOWA DISTRICT COURT FOR WINNEBAGO COUNTY IN THE ESTATE OF HOWARD J. MICHAELSON, DECEASED.

PROBATE NO. ESPR011041

To All Persons Interested in the Estate of Howard J. Michaelson, Deceased, who died on or about the 3rd day of February, 2021.

You are hereby notified that on the 23rd day of February, 2021, the Last Will and Testament of Howard J. Michaelson, deceased, bearing the date of May 9, 1991, was admitted to probate in the above named court and that Elaine Michaelson was appointed executor of the estate. Any action to set aside the will must be brought in the district court of said county within the later to occur of four months from the date of the second publication of this notice or one month from the date of mailing of this notice to all heirs of the decedent and devisees under the will whose identities are reasonably ascertainable, or thereafter be forever barred.

Notice is further given that all persons indebted to the estate are requested to make immediate payment to the undersigned, and creditors having claims against the estate shall file them with the clerk of the above named district court, as provided by law, duly authenticated, for allowance, and unless so filed by the later to occur of four months from the second publication of this notice or one month from the date of mailing of this notice (unless otherwise allowed or paid) a claim is thereafter forever barred.

Dated this 29th day of May, 2021. Elaine Michaelson 216 7th Avenue SW Buffalo Center, IA 50424 Executor of the Estate

Jeremy J. Gray Newman Thompson & Gray, PC 36131 Highway 69 Forest City, IA 50436 Attorney for Executor Date of second publication 16th day of June, 2021.

Published in Buffalo Center Tribune on Wednesday, June 9 and June 16, 2021

Table with 3 columns: COUNTY NAME, NOTICE OF PUBLIC HEARING, CO NO.

Winnebago AMENDMENT OF CURRENT COUNTY BUDGET 95

The County Board of Supervisors will conduct a public hearing on the proposed amendment to the current County budget as follows:

Table with 3 columns: Meeting Date, Meeting Time, Meeting Location.

At the public hearing any resident or taxpayer may present objections to, or arguments in favor of, the proposed amendment. An approved budget amendment is required in order to permit increases in any class of expenditures as last certified or last amended.

Table with 2 columns: County Telephone No., For Fiscal Year Ending.

Table with 4 columns: Item, Total Budget as Certified or Last Amended, Proposed Current Amendment, Total Budget After Current Amendment.

Main budget table containing REVENUES & OTHER FINANCING SOURCES and EXPENDITURES & OTHER FINANCING USES.

Explanation of changes/additional meeting information: Published in Buffalo Center Tribune on Wednesday, June 16, 2021

2020 WATER QUALITY REPORT FOR THOMPSON WATER WORKS

2020 WATER QUALITY REPORT FOR THOMPSON WATER WORKS

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

Large table with columns: CONTAMINANT, MCL - (MCLG), Compliance Type, Value & (Range), DATE, Violation Yes/No, Source.

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

DEFINITIONS

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

ppb - parts per billion. ppm - parts per million. pCi/L - picocuries per liter. N/A - Not applicable. ND - Not detected. RAA - Running Annual Average.

Treatment Technique (TT) - A required process intended to reduce the level of a contaminant in drinking water.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs

do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

SGL - Single Sample Result. RTCR - Revised Total Coliform Rule. NTU - Nephelometric Turbidity Units.

GENERAL INFORMATION

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particu-

larly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

THOMPSON WATER WORKS is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

ADDITIONAL HEALTH INFORMATION

Fluoride in children's drinking

water at levels of approximately 1 mg/L reduces the number of dental cavities. However, some children exposed to levels of fluoride greater than about 2.0 mg/L may develop dental fluorosis. Dental fluorosis, in its moderate and severe forms, is a brown staining or pitting of the permanent teeth, or both.

Because dental fluorosis occurs only when developing teeth (before they erupt from the gums) are exposed to elevated fluoride levels, households without children are not expected to be affected by this level of fluoride.

Families with children under the age of nine are encouraged to seek other sources of drinking water for their children to avoid the possibility of staining and pitting.

Your water supplier can lower the concentration of fluoride in your water so you will still receive the benefits of cavity prevention while the possibility of stained and pitted teeth is minimized. Removal of fluoride may increase our water costs. Treatment systems are also commercially available for home use. Information on such systems is available at the address given by your public water supplier. Low fluoride bottled drinking water that would meet all standards is also commercially available.

SOURCE WATER ASSESSMENT INFORMATION

This water supply obtains its water from the sandstone of the Dakota aquifer. The Dakota aquifer was determined to have low susceptibility to contamination because the characteristics of the aquifer and overlying materials provide natural protection from contaminants at the land surface. The Dakota wells will have low susceptibility to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources, and is available from the Water Operator at 641-584-2785.

This water supply obtains its water from the limestone and dolomite of the Ordovician (abv St. Peter) aquifer. The Ordovician (abv St. Peter) aquifer was determined to have low susceptibility to contamination because the characteristics of the aquifer and overlying materials provide natural protection from contaminants at the land surface. The Ordovician (abv St. Peter) well will have low susceptibility to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources, and is available from the Water Operator at 641-584-2785.

CONTACT INFORMATION

For questions regarding this information or how you can get involved in decisions regarding the water system, please contact THOMPSON WATER WORKS at 641-584-2785.

Published in Buffalo Center Tribune on Wednesday, June 16, 2021